







You can find the perfect headlights today

Lighting space, safety design and customization

Exhibition review









Shanghai



<u>Canton</u> <u>Fair</u>











Dubai





<u>Iran</u>



Russia





Mexico



rofessional Professional Professional Professional Professional

PROFESSIONAL

Toby's Development History

- In 2014, Toby's brand was born. First shop and warehouse were built in Dubai. In July of the same year,
 Guangzhou Toby's Company was established.
- In 2017, we made it clear the development direction of Toby's brand. Toby's, brings high quality products, 100% supports clients to get win-win business, leads the auto light market with latest technology.
- In May 2018, Yiyou shop was opened in Guangzhou, to improve customer experience.
- In 2019, our second brand TBS Design was born. TBS Design, more focusing on the market, based on Toby's brand, it brings more cost-effective products to the market. On the basis of ensuring stable quality, we provide customers with more competitive products to earn the market.
- In 2020, Saudi Shop and wareshouse were established, to provide better service to customers in Saudi Arabia.
- Since October 2020, Guangzhou office was upgraded to improve employee happiness.
- In 2022, all brand show rooms in Dubai, Saudi Arabia and Guangzhou have been renovated and upgraded to create a professional image culture and provide customers with more professional products and services.
- In 2023, We have our NEW brand LOGO and brand TONE released,
 New product series and the original series have been upgraded.
 STRONGER QUALITY, HIGHER COST PERFORMANCE AND MORE PROFESSIONAL.

At present, there are 7 Toby's shops and 6 Toby's warehouses

worldwide.

Dragon Castle: 3 shops Guangzhou: 2 shops

Deria: 2 shops Saudi Arabia: 1shop

Warehouses: Sharjah: 2, Saudi Arabia: 1, China: 3

Professional Professional Professional Professional Professional



OUR CHINA FACTORY

Hello, welcome to our company, we will provide you with LED car lights and other lighting products one-stop service

OEM & ODM

Become Toby's agency

Global warehouse delivery Ready to ship

Guangzhou







Assembly



Finished product



Quality control



Dubai

Saudi



Warehouse



Packaging



Integrating ball testing



luminescence testing



Guangzhou Toby's Optronics Technology Co., Ltd.

.1

Diversified product lines Auto light Outdoor Light Power Supply Global storage Global Deliver System Warehouse and office located at:


Guangzhou China- Dubai UAE -- Jeddah Saudi Arabia.







CONTENTS



LV LENS



LV-01













High beam Low beam









FOG LENS









High beam

Low beam





Lighting Real Shoteffect-Low beam



Lighting Real Shoteffect-High beam

FOG LENS-19









FOG LENS-10/11/12

Voltage	9-16V
Work temp	-40°C~108°C
Lifespan	300000hrs
High beam	45W
Low beam	38W

Voltage	9-16V
Work temp	-40°C~108°C
Lifespan	300000hrs
High beam	62W
Low beam	38W

Voltage	9-16V
Work temp	-40°C~108°C
Lifespan	300000hrs
High beam	58W
Low beam	38W

PLUS LENS

HEADLIGHT PROJECTOR




PLUS-7DT









Voltage	9-16V
Work temp	-40°C~108°C
Lifespan	300000hrs
High beam	85W
Low beam	45W







PLUS-6DT











9-16V
-40°C~108°C
300000hrs
70W
43W










PLUS-3





Voltage	9-16V
voltage	7 10 0
Work temp	-40°C~108°C
Lifespan	300000hrs
High beam	60W
Low beam	50W

LS Series

HEADLIGHT PROJECTOR





LENS-LS-05







Voltage	9-16V
Work temp	-40°C~108°C
Lifespan	300000hrs
High beam	75W
Low beam	45W



LENS-LS-06




LENS-LS-03



LENS-LS-04



LENS-LS-03



LENS-LS-02



LENS-LS-01

XT series Small base with bent copper tube.

XT55 /55W

Operating Voltage: DC9-32V

IP Rate: IP65

Light Source Model: SMD light source technology

Color Temperature: 6500K

Operating Temperature: -40°C~+ 80°C

Power:	55W
Luminous Flux:	5500LM



XT65/65W

Operating Voltage: DC9-32V

IP Rate: IP65

Light Source Model: SMD light source technology

Color Temperature: 6500K

Operating Temperature: -40°C~+ 80°C

Power:	65W
Luminous Flux:	6500LM



XT100 /100W

Operating Voltage: DC9-32V

IP Rate: IP65

Light Source Model: SMD light source technology

Color Temperature: 6500K

Power:	100W
Luminous Flux:	10000LM



• Small Size,

Suit for 99% 12V vehicle,
Strong Power, High Brightness









U series "Apple" packaging, enjoy the surprise

$\mathbf{U7}$ /60 \mathbf{W}

Operating Voltage: DC9-32V

IP Rate: IP65

Light Source Model: SMD light source technology

Color Temperature: 6500K

Operating Temperature: -40°C~+ 80°C

Power:	60W
Luminous Flux:	6000LM



$\overline{\rm U8}$ /75W

Operating Voltage: DC9-32V

IP Rate: IP65

Light Source Model: SMD light source technology

Color Temperature: 6500K

Operating Temperature: -40°C~+ 80°C

Power:	75W
Luminous Flux:	7500LM



U9 /100W

Operating Voltage: DC9-32V

IP Rate: IP65

Light Source Model: SMD light source technology

Color Temperature: 6500K

Power:	100W
Luminous Flux:	10000LM



LX series Every time you open the box, you find a unique treasure









X75 /75W



X100 /100W



LX150 /150W



RS series Mecha Series

RS120 /120W

Operating Voltage: DC9- 32V

IP Rate: IP65

Light Source Model: SMD light source technology

Color Temperature: 6500K

Operating Temperature: -40°C~+ 80°C

Power:	120W
Luminous Flux:	12000LM



RS250 /250W

Operating Voltage: DC9- 32V

IP Rate: IP65

High Power Customer Like

Light Source Model: SMD light source technology


Color Temperature: 6500K

Power:	250W
Luminous Flux:	25000LM









ET series Amberseries

ET100/100W

Operating Voltage: DC9-32V

IP Rate: IP65

Light Source Model: SMD light source technology

Color Temperature: 6500K

Operating Temperature: -40°C~+ 80°C

Power:	100W
Luminous Flux:	10000LM



ET150/150W

Operating Voltage: DC9-32V

IP Rate: IP65

Light Source Model: SMD light source technology

Color Temperature: 6500K

Operating Temperature: -40°C~+ 80°C

Power:	150W
Luminous Flux:	15000LM



ET200/200W

Operating Voltage: DC9-32V

IP Rate: IP65

Light Source Model: SMD light source technology

Color Temperature: 6500K

Power:	200W
Luminous Flux:	20000LM



P series Zinc technology



P100 /100W P100 PRO /100W

Operating Voltage: DC9-32V

IP Rate: IP65

Light Source Model: SMD light source technology

Color Temperature: 6500K

Operating Temperature: -40°C~+ 80°C

P85 PRO /85W


Operating Voltage: DC9-32V

IP Rate: IP65

Light Source Model: SMD light source technology

Color Temperature: 6500K

Operating Temperature: -40°C~+ 80°C







P75 / 75W

Operating Voltage: DC9-32V

IP Rate: IP65

Light Source Model: SMD light source technology

Color Temperature: 6500K

Operating Temperature: -40°C~+ 80°C

P60 PRO /60W

Operating Voltage: DC9- 32V

IP Rate: IP65

Light Source Model: SMD light source technology

Color Temperature: 6500K







GT series DIY LED Brand culture



GT150 150W GT130 130W GT100 100W



EC series More style, less spend





EC60 60W







EC75 75W







EC100 100W



T series

Macic Cube Series







T200 **200**W





T100 PRO T120 PRO

> 100W 120W





M8 PRO 65W



S series

Macic Cube Series



S200 **200W**



S150 150W



S120 PRO 120W



100W



S75 75W



S60 PRO 60W



S40 45W





LC100 100W



LC75 75W



LC65 65W



LC55 55W



LC40 40W



LC30



LC25 25W



Color temperature diagram

The color temperature can be 3000K, 3800K, 4300K, 6500K











3800K/4300K/6000K















RECOMMENDED

F2 PRO 55W/5500LM

F1 ULTRA 35W/3500LM



F1 PRO 35W/3500LM




F1 MAX 35W/3500LM

300% MORE LIGHT THAN PURE HID







D1/D3







24V TRUCK







O Series















SMD BULB



X50 series

SPECIAL PACKAGE **PROFESSIONAL**









T10 CANBUS 2016 1855/ID-W 2.52W/360L5E visc 10*27MM



T 10 CANBUS 2016 278MD-W 2.65W/548LM stre: 10*2791M



T10 CANBUS 3050 ISMD-W L92W/120LM stor: 10°260404



T10 CANBUS 4004 24SMD-W 3.24W1578LM rise: 10°30MM



T10 CANBUS SSMD-W 1.2W(360LM size: 12*2594M



Т10 сакил невые мемь пличи 29071200LM size: 14*47MM



2.3W/1908EM size: 9*26MM



T10 CAGREE ROSSENC 1854D-12-89V.W 2.5W/1800LM size: 10*28MM



T10 CASBUS 2014 2014 D 1240V.W 2.2W/1506LM size: 12*30MM



T10 CANBUS 3050 105MD 3D-W



T10 CANBUS 5030 15550D 5D-W



T 10 CANBUS 35TO 25MD-W 2.1W/3400LM size: 10°3330M



T10 CANBUS 1050 65MD-W 2.793608LM 1869: 19"31.55IM



T10 CANBUS 1200 PROED-W



T10 CAMPUS MINIMUM ILLINAN 2.5W/480EM sizes 10°31MM



T10 CARRENTER DEED 12390AV



T 10 CERAMIC SSM MMD-W LAWNISH doe: 12*24001



T10 1000 158MD-W 1.2W/9808.M 600: 10*27MM



1.7W/1200LM size: 11.2*25.5MM











T15 CANBUS 4014 545MD-W 7W12800LM size: 13.6*32.5MM

LED BULB



























































27



DIY YOUR LED



Toby's will offer the most professional customized service for you.

Step 1: What power fare you looking for?
40W 60W 80W 100W 120W 150W 180W
Step 2: what cutomers you want to attract by Toby's product? Best quality High quality Market model and nice price
Step 3: Would you like be your brand or Toby's brand?
Toby's brand is nice for me
I want to make my brand
My logo:
Step 4: How long you can accept the delivery time?
Inventory 15-25 days Within 45 days
Three tony is a sure of the su
CA F. 11
Step5: How much you want to pay it? 🍍
,,
Name:
Country:
I've been in the headlights business forYears 🤗 🖟 💌
I want to start my led light business with Toby's
The day i met Toby's
I AM C I AM
Phone number:





Professional







28



Toby's PROFESSIONAL













OEM SUM

TD0190D 98W 8100LM 98W 8100LM

Toby's PROFESSIONAL













OEM SEA

Toby's PROFESSIONAL







98W 9000LM









OEM SUM

TD0660C-B-P8 55W7288LM



Toby's PROFESSIONAL



WLA SERIES





WLA PS EAR 20W-F





OINS

oen sale

Toby's PROFESSIONAL



WLB XTE 120W-F

WLB SERIES NEW SERIES-WLB LAUNCH IN 2024



WLB P8 40W-S



WLB OL 40W-S



WLB OL 40W-D

PROFESSIONAL Toby's



WLC SERIES NEW SERIES-WLC LAUNCH IN 2024



WLC 30W-S







WLC 20W-F



OEW SUM

WLC 20W-S

OIN COM

Toby's PROFESSIONAL







WLD SERIES



WLD 3030 15W-S



WLD 0030 15W-F

29







NEW SERIES-LBA LAUNCH IN 2024





















PROFESSIONAL



O IM SUM

DEW SAME



LBB SERIES

NEW SERIES-LBB LAUNCH IN 2024





















SALESSON A

OFW SURE





PROFESSIONAL



LBC 80W-C BOW BOOOLM

LBB 40W-C

40W 4000LM







LBC 320W-C













OEM SU

⊕Toby's

PROFESSIONAL



80W 8000LM



RESTAURANCEM

LBD SERIES











tobysgroup.en.alibaba.com





www.tobysgroup.com

Dubai Mob:+971 56768 8643 Tel:+971 4 2729 386 China

Mob:+86 180 2806 4692

Guangzhou showroom

3B039, Yiyou (International) Auto Parts Exhibition and Trade Center, Guanghzou Shop 557,558, Rongjun Plaza, No. 40, Yongfu Road, Yuexiu District, Guangzhou

Deria, Dubai

S1: Near To Gold Soug Metro Station,Exit 3, Opp. Hayat Regency S5: Near To Naif Park, Next To City Exchange, Naif

Dragon Mart, Dubai

Shop: Ras Al Khor Rd, Dragon Mart - Shop No. eak06 - 1 First Floor

Riyadh, Saudi

S1: Al Amal, Toby's shop, AbdulHakeem Al Jamhi St

S2: Dragon World Shop No. E31 Near gate #2, Eastern Ring Rd, Al Faruq, Rimal Center







